



1 / 2 4




2 / 2 4

FIG. 2




3 / 2 4

FIG. 3




4 / 2 4

F I G . 4




5 / 2 4

FIG. 5



6 / 24


FIG. 6



1004997.01501


7 / 2 4

FIG. 7




8 / 2 4

FIG. 8




9 / 2 4

FIG. 9




10/24

FIG. 10



11 / 24


FIG. 11



10019977-021502


12 / 24

FIG. 12




13 / 24

FIG. 13




1 4 / 2 4

FIG. 14




15 / 24

FIG. 15




16 / 24

FIG. 16




17 / 24



18 / 24

FIG. 18



19/24

FIG. 19






FIG. 20




21 / 24




22 / 24

FIG. 22



23 / 24

FIG. 23



24 / 24

FIG. 24

KINDS OF IMAGE DISPLAY DEVICES	TENDENCY OF COEFFICIENT DATA	STANDARD DEVIATION σ	KINDS OF HD SIGNALS
CRT DISPLAY	NORMAL	2.0	I OR P
LIQUID CRYSTAL DISPLAY	SLIGHTLY LPF	1.6	I
PLASMA DISPLAY	SLIGHTLY HPF	2.4	P
PROJECTOR	HPF	2.8	P

10019977-034503